



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

#### 1 Identification

- · Product Identifier
- · Trade Name: Techniplast 3D Color FX Glitter
- · Relevant identified uses of the substance or mixture and uses advised against:
- · **Product Description:** Glitter pigment to use with epoxy resin systems
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

Techniart US LLC

201 Montgomery Street, 2nd Floor

Jersey City, NJ 07302 office@techniart-us.com P: +1 (212) 287 9637

· Emergency telephone number: 1-800-633-8253 / Local +1-801-629-0667

## 2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

96.5 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

REACTIVITY O Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

# 3 Composition/Information on Ingredients

· Non-hazardous components:			
25038-59-9	Polyethylene Terephthalate	96-96.5%	
9003-33-2	Poly(vinyl formal)	3.0%	

- Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:				
CAS: 7429-90-5	aluminium	0.2%		
RTECS: BD 0330000	Pyrophoric Solids 1, H250; Substances and mixtures which, in contact with water, emit flammable gases 2, H261			

(Contd. on page 2)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### 4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

After swallowing:

Do not induce vomiting without medical advice.

If swallowed and symptoms occur, consult a doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

## 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

PAC-1:

None of the ingredients are listed.

· PAC-2:

None of the ingredients are listed.

(Contd. on page 3)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

· PAC-3:

None of the ingredients are listed.

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

# 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · *Material of gloves:* Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection: Not required.
- Body protection: Not required.
- Limitation and supervision of exposure into the environment: None

### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Granulate
Color: White
Odor: Odorless
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: 300 °C (572 °F)

(Contd. on page 4)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not determined.

• **Density @ 20 °C (68 °F):** 1.37 g/cm³ (11.4327 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.00 %

· Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: Reacts with strong oxidizing agents.
- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Temperatures >300C.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: dioxins, carbon oxides, aluminum

#### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- · Primary irritant effect:
- On the skin: No irritating effect.
- · On the eye: No irritating effect.

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

- · Additional toxicological information:
- Carcinogenic categories:

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· **DOT, ADR/ADN, IMDG, IATA**Non-Regulated Material

Environmental hazards: Not applicable.
 Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

(Contd. on page 6)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

· UN "Model Regulation": Non-Regulated Material

# 15 Regulatory Information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:

No further relevant information available

· SARA (Superfund Amendments and Reauthorization):
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
7429-90-5 aluminium
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients are listed.
· California Proposition 65:
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

7429-90-5 aluminium

New Jersey Special Hazardous Substance List:

7429-90-5 aluminium

F3, R1

Pennsylvania Right-to-Know List:

7429-90-5 aluminium

Pennsylvania Special Hazardous Substance List:

7429-90-5 aluminium

E

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH):

7429-90-5 aluminium

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022 Reviewed on 09/28/2022

Trade Name: Techniplast 3D Color FX - Glitter

· Hazard statements: Non-Regulated Material

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

#### · Contact:

#### · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Pyrophoric Solids 1: Pyrophoric solids – Category 1

Substances and mixtures which, in contact with water, emit flammable gases 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

\* \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106