

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

1 Identification

- **Product Identifier**
- **Trade Name:** TECHNIPLAST 3D-LC
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Raw material for industrial and consumer uses
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Techniart US LLC
201 Montgomery Street, 2nd Floor
Jersey City, NJ 07302
office@techniart-us.com
P: +1 (212) 287 9637
- **Emergency telephone number:** 1-800-633-8253 / Local +1-801-629-0667

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Corrosion

Skin Corrosion 1C H314 Causes severe skin burns and eye damage.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Danger
- **Hazard-determining components of labeling:**
Polyoxypropylene triamine
- **Hazard statements:**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**
P260 Do not breathe dusts or mists.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: **TECHNIPLAST 3D-LC**

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	3	Health = *3
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

· **Hazard(s) not otherwise classified (HNOC):** None known

* 3 Composition/Information on Ingredients

· **Chemical characterization: Substance**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

39423-51-3	Polyoxypropylene triamine ⚠ Eye Damage 1, H318; ⚠ Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Aquatic Acute 2, H401	90-100%
------------	--------------------------------------------------------------------------------------------------------------------------------------------	---------

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Remove the victim to fresh air. Keep warm and calm. Consult a doctor.

· **After skin contact:**

Take off contaminated clothes immediately. Wash contaminated skin with a large amount of water and soap. Put on sterile dressing. Contact a doctor immediately.

· **After eye contact:**

Contact an ophthalmologist immediately. Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes with water for at 10-15 minutes. Avoid strong stream of water – risk of damage of the cornea.

· **After swallowing:**

Do not induce vomiting. Rinse mouth with water. Do not drink alcohol! Never give anything by mouth to an unconscious person. Contact a doctor immediately, show container or label.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

* 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:**
During combustion carbon oxides [CO and CO₂], nitrogen oxides and ammonia may be produced. Do not inhale combustion products, it may cause health risk.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach sewage, surface and ground waters. Cool containers endangered with fire with water fog from a safe distance.

* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**
Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that the effects of breakdown are removed only by properly trained personnel. In case of large spills, isolate the exposed area. Wear personal protective equipment. Avoid contact with skin and eyes. Ensure adequate ventilation. Do not inhale vapours.
- **Environmental precautions:**
If larger quantities of the product are released, steps must be taken to prevent its spreading in the environment. Notify relevant emergency services.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

· **PAC-1:**

All components have the value 30 mg/m³.

· **PAC-2:**

All components have the value 330 mg/m³.

· **PAC-3:**

All components have the value 2,000 mg/m³.

* 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Handle in accordance with good occupational hygiene and safety practices. Avoid eyes and skin contamination. Do not let product to enter mouth. Avoid vapours inhalation. Ensure adequate local and/or general ventilation. Wear personal protective equipment.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
Store in properly labelled, tightly sealed containers in a dry, cool and well ventilated place. Keep away from food, foodstuffs, animal feed. Recommended storage temperature: 15-30 C. Protect from water and moisture. Avoid fire. Protect from direct sunlight. Opened container should be resealed and kept upright to prevent leaking. Do not store in non-labelled containers.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** None additional.
- **Information about storage in one common storage facility:** Store away from flammable substances.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

- **Body protection:** Not required.
- **Limitation and supervision of exposure into the environment:** None

* 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: Colorless

· **Odor:** Characteristic, slightly amine

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: Not determined.

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure:** Not determined.

· **Density @ 20 °C (68 °F):** 0.95 g/cm³ (7.9278 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic @ 20 °C (68 °F): 10.8 mm²/s

· Solvent content:

Solids content: 0.0 %

· **Other information:** No further relevant information available.

* 10 Stability and Reactivity

- **Reactivity:** Product is reactive. Undergoes dangerous polymerization.
- **Chemical stability:** Product is stable under normal conditions.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:**
The product may polymerize exothermically in reaction with some substances.
- **Conditions to avoid:** Avoid sources of heat and direct sunlight. Protect from moisture.
- **Incompatible materials:** Avoid contact with strong oxidizers, acids, bases, amines, water.
- **Hazardous decomposition products:**
There are no hazardous decomposition products when product is properly used and stored.

*11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No data available.
- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Strong irritant with the danger of severe eye injury.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
- **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:** UN2735
- **DOT, ADR/ADN, IMDG, IATA** UN2735
- **UN proper shipping name:** Amines, liquid, corrosive, n.o.s. (Polyoxypropylene triamine)
- **DOT** UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene triamine)
- **ADR/ADN** AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene triamine)
- **IMDG, IATA** AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene triamine)
- **Transport hazard class(es):**

· **DOT**



- **Class:** 8 Corrosive substances
- **Label:** 8

· **ADR/ADN**



- **Class:** 8 (C7) Corrosive substances
- **Label:** 8

· **IMDG, IATA**



- **Class:** 8 Corrosive substances
- **Label:** 8
- **Packing group:** III
- **DOT, ADR/ADN, IMDG, IATA** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Warning: Corrosive substances
- **Hazard identification number (Kemler code):** 80

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

· EMS Number:	F-A,S-B
· Segregation groups:	(SGG18) Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations:	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
<hr/>	
· ADR/ADN	
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<hr/>	
· IMDG	
· Limited quantities (LQ):	5L
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENE TRIAMINE), 8, III

15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.

· **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

· New Jersey Right-to-Know List:
None of the ingredients are listed.
· New Jersey Special Hazardous Substance List:
None of the ingredients are listed.
· Pennsylvania Right-to-Know List:
None of the ingredients are listed.
· Pennsylvania Special Hazardous Substance List:
None of the ingredients are listed.
· Carcinogenic categories:
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
· TLV (Threshold Limit Value established by ACGIH):
None of the ingredients are listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health):
None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Polyoxypropylene triamine

· **Hazard statements:**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements:**

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/04/2022

Reviewed on 09/30/2022

Trade Name: TECHNIPLAST 3D-LC

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Corrosion 1C: Skin corrosion/irritation – Category 1C
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106